MODE IMPLANT

THE NEW MODERN DESIGN IN IMPLANT DENTISTRY

MODE MEDiKAL®

MODE IMPLANT | MIA MODE IMPLANT ACADEMY

modeimplant.com

MORE THAN HALF-CENTURY OF EXPERIENCE

Mode Medikal, with its experience in Hi-tech systems, since 1965 has otained many international awards and still continues with the World's best brands materials and technologies.

VALIDATION CERTIFICATED CLEAN ROOM

5 Years Shelf-Life Warranty with Gamma Irradiation Sterilization

% 100 QUALITY CONTROL GUARANTEE

Internationally Approved Quality System

Continious inspection and mechanical testing

100 % Robotic micro blastic laser roughness controlled surface morphology



Highest technology for quality control system

High precision dimentional control for all products



The world's most modern ROBOT and COBOT automation systems

THE WORLD'S BEST BRANDS

Highest quality titanium raw materials from American Dynamet Carpenter Technology Holding

CARPENTER DYNAMET TITANIUM (USA)

HA-BCP CALCIUM PHOSPHATE (USA)

Implant: Biocompatible Titanium Grade-4
Mono Blok Implant: Biocompatible Titanium Grade-5 ELI
Abutment: Implant: Biocompatible Titanium Grade-5 ELI

MODERN JAPANESE TECHNOLOGY

Mode Medikal has high precision manufacturing capability with the latest technology full automation CNC machines.

INDUSTRIAL CUTTING OILS	PURE WATER TECHNOLOGY
Anaerobic Bacteria Formation	Hygienic Production
Resin Layer Formation on Implant Surfaces	Pure Water Ultrasonic Cleaning
Surface Acid Cleaning Process	No Acid
Passivation of acid concentration	No Acid Passivation

MODE IMPLANT SYSTEM

CREATE HIGH FUNCTION AND ESTHETIC SOLUTIONS FOR ALL BONE TYPES

MODE IMPLANT offers a unique portfolio of implants for all indications and preferences with internal conical connection.



Mode Implant represents the modern dental implantology with new trend products for all types of treatment concepts.



HA Hydroxyapatite 65%

CALCIUM PHOSPHATE SURFACE MORPHOLOGY

Resorbable Blast Media (RBM) Surface
Resorbable Blast Texuring (RBT) Surface
Soluble Blast Media (SBM) Surface Technics



INTERNAL CONICAL
OCTAGON CONNECTION



Innovative Octagon Implant-Abutment Connection System

OCTA CONICAL CONNECTION

NP NARROW PLATFORM Ø3.3 - Ø3.7

RP REGULAR PLATFORM Ø4.1 - Ø4.7 - Ø5.2

WP WIDE PLATFORM Ø5.3 - Ø6.0

- Conical Implant-Abutment connection system distributes point forces formed by overload stresses on conical surfaces.
- The conical connection that balances the force distribution increases the resistance to bending and bending moments and reduces the risk of bone resorption.
- The design, which exhibits a perfect mechanical connection, centers the implant-abutment relationship and minimizes the loads that will come to the connecting screw.





IMPLANT ABUTMENT EXCELLENT COMPLIANCE

MODE IMPLANT LEVEL, RAPID, BONE, TISSUE and SHORT models all have Conical Octagon Connection Structure.



LEVEL IMPLANT

Platform	NP	NP	RP	RP	RP	WP	WP
Implant Ø (D)	3.3 mm	3.7 mm	4.1 mm	4.7 mm	5.2 mm	5.3 mm	6.0 mm
Length (L)							
8 mm	✓	✓	✓	✓	✓	✓	-
10 mm	✓	✓	✓	✓	✓	✓	-
11.5 mm	✓	✓	✓	✓	✓	✓	-
13 mm	✓	✓	✓	✓	✓	✓	-
16 mm	✓	✓	✓	✓	✓	✓	-



RAPID IMPLANT

Platform	NP	NP	RP	RP	RP	WP	WP
Implant Ø (D)	3.3 mm	3.7 mm	4.1 mm	4.7 mm	5.2 mm	5.3 mm	6.0 mm
Length (L)							
8 mm	✓	✓	✓	✓	✓	✓	-
10 mm	✓	✓	✓	✓	✓	✓	-
11.5 mm	✓	✓	✓	✓	✓	✓	-
13 mm	✓	✓	✓	✓	✓	✓	-
16 mm	✓	✓	✓	✓	✓	✓	-



BONE IMPLANT

Platform	NP	NP	RP	RP	RP	WP	WP
Implant Ø (D)	3.3 mm	3.7 mm	4.1 mm	4.7 mm	5.2 mm	5.3 mm	6.0 mm
Length (L)							
8 mm	✓	✓	✓	✓	-	-	-
10 mm	✓	✓	✓	✓	-	-	-
11.5 mm	✓	✓	✓	✓	-	-	-
13 mm	✓	✓	✓	✓	-	-	-
16 mm	✓	✓	✓	✓	-	-	-



TISSUE IMPLANT

Platform	NP	NP	RP	RP	RP	WP	WP
Implant Ø (D)	3.3 mm	3.7 mm	4.1 mm	4.7 mm	5.2 mm	5.3 mm	6.0 mm
Length (L)							
8 mm	✓	✓	✓	✓	-	-	-
10 mm	✓	✓	✓	✓	-	-	-
11.5 mm	✓	✓	✓	✓	-	-	-
13 mm	✓	✓	✓	✓	-	-	-
16 mm	✓	✓	✓	✓	-	-	-



SHORT & SHORTER IMPLANT

Platform	NP	NP	RP	RP	RP	WP	WP
Implant Ø (D)	3.3 mm	3.7 mm	4.1 mm	4.7 mm	5.2 mm	5.3 mm	6.0 mm
Length (L)							
Short 6 mm + 1 mm	-	✓	✓	✓	✓	✓	✓
Shorter 5 mm + 1 mm	-	✓	✓	✓	✓	✓	✓



PROVO T-C SERIES

TEMPORARY BENDABLE IMPLANT SYSTEM

PROVO T-C SERIES

	PROVO T	PROVO C	PROVO C	PROVO C	PROVO C
Implant Ø (D)	2.5 mm	3.0 mm	3.5 mm	4.0 mm	4.5 mm
L: 8 mm	-	✓	✓	✓	✓
L: 10 mm	✓	✓	✓	✓	✓
L: 12 mm	✓	✓	✓	✓	✓
L: 15 mm	✓	✓	✓	✓	✓

TRANSFER

ANALOG

BURN OUT



PROVO S-SH SERIES

TEMPORARY BENDABLE IMPLANT SYSTEM

PROVO S-SH SERIES

	PROVO S/SH	PROVO S/SH	PROVO S/SH	PROVO S/SH
Implant Ø (D)	3.0 mm	3.5 mm	4.0 mm	4.5 mm
L: 8 mm	✓	✓	✓	✓
L: 10 mm	✓	✓	✓	✓
L: 12 mm	✓	✓	✓	✓
L: 15 mm	✓	✓	✓	✓

OPEN IMPRESSION

ANALOG

BURN OUT



PROSTHETIC SCREW



MINI IMPLANT

TEMPORARY BENDABLE IMPLANT SYSTEM

MINI IMPLANT

	PROVO S/SH	PROVO S/SH	PROVO S/SH
Implant Ø (D)	2.2 mm	2.5 mm	2.9 mm
L: 8 mm	-	-	✓
L:10 mm	✓	✓	✓
L: 12 mm	✓	✓	✓
L: 14 mm	✓	✓	✓

PROSTHETIC SYSTEMS

ACHIEVE YOUR NATURAL ESTHETICS
WITH WIDE RANGE SOLUTIONS OF RESTORATIONS

COLOR CODED PACKAGING CONCEPT

Color coded packaging makes easier the products choice, stock management and products definition. Color codes show the implant-abutment connection platform on the labels and components to our dentists and technicians.

OCTA CONICAL CONNECTION

ALL MODE IMPLANT PROSTHETIC PRODUCTS ARE LOADED JUST BY ONE DRIVE.

HEALING ABUTMENTS & IMPRESSION TRANSFERS

HEALING Abutment

IMPRESSION Transfer

SCAN BODY Digital Transfer

CEREC Digital Transfer

MULTI SCAN BODY Digital Transfer

CEMENT RETAINED ABUTMENTS

RESTORATION SOLUTIONS

PROFILE Abutment

DIRECT Abutment

ESTHETIC STRAIGHT Abutment

15° / 25° ESTHETIC Abutment

SCREW RETAINED ABUTMENTS

RESTORATION SOLUTIONS

MULTI-UNIT Abutment

17° / 30° MULTI-BASE Abutment

OVERDENTURE ABUTMENTS

RESTORATION SOLUTIONS

BALL Abutment

LOCATOR Abutment

17° / 30° MULTI-BASE Ball / Locator Abutment

DIGITAL CAD/CAM ABUTMENTS

RESTORATION SOLUTIONS

Ti BASE ENGAGED Abutment

Ti BASE NON-ENGAGED Abutment

PREMILLED Abutment Blank

MULTI COPING Abutment Blank

CONVENTIONAL IMPRESSION TRANSFERS

IMPLANT LEVEL IMPRESSION TRANSFER

Platform	Implant	Closed Tray	Open Tray	Analog
NP	Ø3.3-Ø3.7			
RP	Ø4.1-Ø4.7-Ø5.2			
WP	Ø5.3-Ø6.0			

SCREW RETAINED IMPRESSION TRANSFER

Open Tray	Analog

OVERDENTURE IMPRESSION TRANSFER

Ball Abutment	Locator

DIGITAL IMPRESSION TRANSFERS

SCAN BODY IMPRESSION TRANSFER

Platform	Implant	
NP	Ø3.3-Ø3.7	Ø 5.5 mm
RP	Ø4.1-Ø4.7-Ø5.2	Ø 5.5 mm
WP	Ø5.3-Ø6.0	Ø 6.5 mm

MULTI SCAN BODY IMPRESSION TRANSFER

Platform	Implant	
NP	Ø3.3-Ø3.7	MULTI UNIT / BASE FOR ALL PLATFORM
RP	Ø4.1-Ø4.7-Ø5.2	
WP	Ø5.3-Ø6.0	

CEREC IMPRESSION TRANSFER

Platform	Implant	
NP	Ø3.3-Ø3.7	Ø 3.0 mm
RP	Ø4.1-Ø4.7-Ø5.2	Ø 3.4 mm
WP	Ø5.3-Ø6.0	Ø 3.4 mm

HEALING ABUTMENTS

Wide range of healing abutments is available in NP Narrow, RP Regular and WP Wide Platforms.

Maintain tissue opening for establishing proper emergence profile.

Polished titanium surface for excellent tissue acceptance.

The top of the healing abutment is laser marked for an easy identification of its height and diameter.

HEALING ABUTMENT

Platform	Implant	Diameter Ø	Height	Ref. No	
NP NARROW PLATFORM	Ø3.3-Ø3.7	Ø4.0	H 2 mm	04.04.02.03	
		Ø4.0	H 4 mm	04.04.04.03	
		Ø4.0	H 6 mm	04.04.06.03	
		Ø4.5	H 2 mm	04.45.02.03	
		Ø4.5	H 4 mm	04.45.04.03	
		Ø4.5	H 6 mm	04.45.06.03	
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	Ø4.5	H 2 mm	04.45.02.35	
		Ø4.5	H 4 mm	04.45.04.35	
		Ø4.5	H 6 mm	04.45.06.35	
		Ø5.0	H 2 mm	04.05.02.35	
		Ø5.0	H 4 mm	04.05.04.35	
		Ø5.0	H 6 mm	04.05.06.35	
		Ø5.5	H 2 mm	04.55.02.35	
		Ø5.5	H 4 mm	04.55.04.35	
		Ø5.5	H 6 mm	04.55.06.35	
WP WIDE PLATFORM	Ø5.3-Ø6.0	Ø6.0	H 2 mm	04.06.02.45	
		Ø6.0	H 4 mm	04.06.04.45	
		Ø6.0	H 6 mm	04.06.06.45	
		Ø6.5	H 2 mm	04.65.02.45	
		Ø6.5	H 4 mm	04.65.04.45	
		Ø6.5	H 6 mm	04.65.06.45	

CEMENT-RETAINED

RESTORATION SOLUTIONS

PROFILE ABUTMENT

Platform	Implant	Diameter | Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	Ø4.5 | H 1.0 / 2.0 / 3.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	Ø5.5 | H 1.0 / 2.0 / 3.0mm
WP WIDE PLATFORM	Ø5.3-Ø6.0	Ø6.5 | H 1.0 / 2.0 / 3.0mm

Basic straight abutment with a wide shoulder to allow for abutment grinding to meet the gingival contour.

Abutment design provides maximum preparations for stable restorations of single, partial or total toothless cases.

DIRECT ABUTMENT

Platform	Implant	Diameter | Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	Ø3.5 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm Ø4.0 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	Ø4.5 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm Ø5.0 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm
WP WIDE PLATFORM	Ø5.3-Ø6.0	Ø5.0 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm Ø6.0 | H 0.5 / 1.0 / 2.0 / 3.0 / 4.0mm

Can be used in all arch restorations of single, partial and total toothless cases. Multiple gingiva heights step and body widthwise, possibility of cutting body according to interoclusal space. Besides that, it provides practical solutions and saves time for dentists and laboratory during the implementation. Also can be prepared.

ESTHETIC ABUTMENT

Platform	Implant	Diameter | Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	Ø4.0 | H 1.0 / 2.0 / 3.0
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	Ø5.0 | H 1.0 / 2.0 / 3.0
WP WIDE PLATFORM	Ø5.3-Ø6.0	Ø6.0 | H 1.0 / 2.0 / 3.0

Esthetic Abutment has imitative gingiva anatomic form and provides ideal solutions for anterior toothless with maximum esthetic expectations.

15/25° ESTHETIC ABUTMENT

Platform	Implant	Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	H 1.0 / 2.0 / 3.0 / 4.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	H 1.0 / 2.0 / 3.0 / 4.0mm
WP WIDE PLATFORM	Ø5.3-Ø6.0	H 1.0 / 2.0 / 3.0 / 4.0mm

Rich Range of Angled 15° and 25° design with different gingiva heights.

Imitative esthetic gingiva anatomy form gives perfect soft tissue combination possibility.

Octagon design gives possibility to load in 8 differet positions.

DIGITAL CAD/CAM

RESTORATION SOLUTIONS

TI-BASE ENGAGED CEREC ABUTMENT

The Ti-Base serves as a connector between the implant and its final restoration, enabling CAD/CAM customized solutions, highest precision and best esthetic results. This abutment has orginal Mode Implant platform for CEREC system.

Platform	Implant	
NP	Ø3.3-Ø3.7	H 0.7 / 2.5 mm
RP	Ø4.1-Ø4.7-Ø5.2	H 0.7 / 2.5 mm
WP	Ø5.3-Ø6.0	H 0.7 / 2.5 mm

CEREC OMNICAM

TI-BASE ENGAGED DIGITAL ABUTMENT

Ti-Base Non-Engaged Abutment with maximum design flexibility and easy cementation procedure for single teeth restorations of all Mode implants types.

Platform	Implant	
NP	Ø3.3-Ø3.7	H 0.7 / 2.5 mm
RP	Ø4.1-Ø4.7-Ø5.2	H 0.7 / 2.5 mm
WP	Ø5.3-Ø6.0	H 0.7 / 2.5 mm

exocad 3shape dental wings

TI-BASE NON-ENGAGED DIGITAL ABUTMENT

Ti-Base Non-Engaged Abutment with maximum design flexibility and easy cementation procedure for multi restorations of all Mode implants types.

Platform	Implant	
NP	Ø3.3-Ø3.7	H 0.7 / 2.5 mm
RP	Ø4.1-Ø4.7-Ø5.2	H 0.7 / 2.5 mm
WP	Ø5.3-Ø6.0	H 0.7 / 2.5 mm

exocad 3shape dental wings

PREMILL ABUTMENT

Are used as raw material for CAM fabrication of a single part titanium abutment.
Original pre-milled implant connection is fabricated with the exact tolerances, ensuring best reliable implant to restoration fit.

Platform	Implant	
NP	Ø3.3-Ø3.7	Ø 12 mm
RP	Ø4.1-Ø4.7-Ø5.2	Ø 12 mm
WP	Ø5.3-Ø6.0	Ø 12 mm

SCREW RETAINED
RESTORATION SOLUTIONS

MULTI UNIT ABUTMENT

Platform	Implant	Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	H 0.5 /1.0 / 2.0 / 3.0 / 4.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	H 0.5 /1.0 / 2.0 / 3.0 / 4.0mm
WP WIDE PLATFORM	Ø5.3-Ø6.0	H 0.5 /1.0 / 2.0 / 3.0 / 4.0mm

One-piece monoblock Multi Unit Abutment models, allow an active fixed restoration solutions for the partial, toothless or edentulous cases.

Single, Partial, Overdenture and Hybrid Restorations

MULTI BASE
RESTORATION SOLUTIONS

MULTI BASE ABUTMENT

Platform	Implant	Angle | Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	17 ° | H 2.5 / 3.5 mm 30 ° | H 3.5 / 4.0 mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	17 ° | H 2.5 / 3.5 mm 30 ° | H 3.5 / 4.0 mm
WP WIDE PLATFORM	Ø5.3-Ø6.0	17 ° | H 2.5 / 3.5 mm

Enables immediate loading at the total toothless cases with the option of screw retained denture, ball and locator connection provide a restoration up to 17-30 angle.

Single, Partial, Overdenture and Hybrid Restorations

OVERDENTURE
RESTORATION SOLUTIONS

BALL ABUTMENT

Platform	Implant	Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	H 0.5 /1.0 / 2.0 / 3.0 / 4.0 / 6.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	H 0.5 /1.0 / 2.0 / 3.0 / 4.0 / 6.0mm

Movable (Rhein 83) prothesis option presents solutions for total toothless cases without angular problems of Implants with high retention and stability. Perfect comfort with minimized surface friction coefficient TIN Titanium Nitride technology.

LOCATOR ABUTMENT

Platform	Implant	Height
NP NARROW PLATFORM	Ø3.3-Ø3.7	H 0.5 /1.0 / 2.0 / 3.0 / 4.0 / 6.0mm
RP REGULAR PLATFORM	Ø4.1-Ø4.7-Ø5.2	H 0.5 /1.0 / 2.0 / 3.0 / 4.0 / 6.0mm

Allows loading the Implants up to ±20 angle at the applications of removable overdenture restoration.
The world's Number one Manufacturer (Zest Anchor) plastic and metal caps (housing / matrix) compliance with high flexion capability and perfect elasticity.

MULTI UNIT ABUTMENT SET

SCREW RETAINED COVER

Multi covers is screwed into the Multi-Base, a design which provides extra strength and stability.

MULTI BASE ABUTMENT SET

BALL COVERS

MULTI BASE BALL ABUTMENT SET



LOCATOR COVERS

MULTI BASE LOCATOR ABUTMENT SET



BALL ATTACHMENT SET

FULLPACK

Ball attachment is titanium nitrate coated and has a Vickers surface hardness of 1600. The female component of the attachment is a nylon cap that comes in a variety of colors and snaps over the ball to help prevent wear and increase retention.

LOCATOR ABUTMENT SET

FULLPACK

ZEST ANCHORS LOCATOR Substitute Male Packages (transparent, pink, blue) can be used to restore an Implant that has a maximum divergence angle of 10 degrees (20 degrees between Implants). The LOCATOR Male Processing Package allows you to select your own way of holding.

ABUTMENT PACKAGE TYPES

FULL PACK ABUTMENT

OCTA «Color Code Platform Concept»

- **Narrow Platform (NP)** are color coded in YELLOW
- **Regular Platform (RP)** are color coded in BLUE
- **Wide Platfrom (WP)** are color coded in GREEN

MULTI UNIT ABUTMENT SET



MULTI UNIT Abutment · Open Tray Transfer · Analog · Healing Abutment · Burnout Sleeve (Plastic) · Screw Fixation

MULTI BASE ABUTMENT SET

MULTI BASE Abutment · Base Cover · Open Tray Transfer · Analog · Healing Abutment · Temporary Abutment · Burnout Sleeve (Plastic) · Screw Fixation

MULTI BASE BALL ABUTMENT SET

MULTI BASE Abutment · Ball Cover H1 or Ball Cover H2 · Pick up · Ball Analog · Metal Housing · Plastic Housing · O-ring (Plastic)

MULTI BASE LOCATOR ABUTMENT SET

MULTI BASE Abutment · Locator Cover H1 or Locator Cover H2 · Pick up · Ball Analog · Metal Housing · Plastic Housing

BALL ATTACHMENT SET

Global Abutment (Titanium GR5) · Ball Analog (Stainles Steel) · Pick Up (Plastic) · Metal Housing · Plastic Housing · O-ring (Plastic)

LOCATOR ABUTMENT SET

Locator Abutment (Titanium GR5) · Locator Analog (Stainless Steel) · Pick Up (Plastic) · Metal Housing · Plastic Housings

UNI PACK ABUTMENT

OCTA «Color Code Platform Concept»

- **Narrow Platform (NP)** are color coded in YELLOW
- **Regular Platform (RP)** are color coded in BLUE
- **Wide Platfrom (WP)** are color coded in GREEN

CEMENT RETAINED
RESTORATION SOLUTIONS

WIDE PROFILE
Abutment

DIRECT
Abutment

25° ESTHETIC
Abutment

15° ESTHETIC
Abutment

ESTHETIC
Abutment

SCREW RETAINED
RESTORATION SOLUTIONS

MULTI UNIT
S Abutment

Burnout
Sleeve
(Plastic)

Screw
Fixation

OVERDENTURE
RESTORATION SOLUTIONS

BALL
Abutment

LOCATOR
Abutment

SURGICAL KITS

INCREASE EFFICIENCY WITH EASY ORGINIZED SURGICAL WORKFLOW

Simplicity and user friendly guided surgical instruments for all kinds of protocols.

PCS PRESTIGE SURGICAL KIT

Freedom in use for surgical workflow with
60 instruments.

SCS STANDARD SURGICAL KIT

48 instruments guide our sergeons with easy
surgical protocols.

HCS QUICK SURGICAL KIT

Quick Solutions with
28 instruments.

PROVO SURGICAL KIT

12 instruments guide our segeons with easy
surgical protocols

GUIDED SURGERY KIT

Freedom in use for surgical workflow with
55 instruments

IMPLANT DRILLS AND PARALLEL PINS

Lance Drill

Drill Extender

Ø2 mm Pilot Drills with Stoppers

L: 6 mm

L: 8 mm

L: 10 mm

L: 11.5 mm

L: 13 mm

L: 16 mm

Implant Drills

Ø 2.4 / 2.8

Ø 2.8 / 3.2

Ø 3.2 / 3.6

Ø 3.8 / 4.3

Ø 4.3 / 4.9

Ø 5.0 / 5.6

Parallel Pins

Ø 2.0

Ø 3.3

Ø 3.7

Ø 4.1

Ø 4.7

Ø 5.3

COMPACT/HARD BONE TOOLS

Profile Drills

Ø 3.3

Ø 3.7

Ø 4.1

Ø 4.7

Ø 5.3

Ø 6.0

Level Bone Taps

Ø 3.3

Ø 3.7

Ø 4.1

Ø 4.7

Ø 5.3

Rapid Bone Taps

Ø 3.3

Ø 3.7

Ø 4.1

Ø 4.7

Ø 5.3

INSTRUMENTS

Implant Drivers

Screw Drivers

Adaptors

Torque Ratchet

Handpiece

Depth Gauge

Trephane

Punch

LEVEL SURGERY PROTOCOL



A LANCE DRILL - MARKER DRILL
B PILOT DRILLS Ø2.0 (DRILL STOPER: 6-8-10-11,5-13-16)
1-6 IMPLANT DRILLS
P PROFILE DRILLS
R RAPID BONE TAPS
L LEVEL BONE TAPS

LEVEL SURGERY PROTOCOL

		SOFT BONE	COMPACT BONE	EXT. COMPACT BONE
NP	Ø3,3	A + B + 1	A + B + 1 + P1 + L1	A + B + 1 + 2 + P1 + L1
NP	Ø3,7	A + B + 1 + 2	A + B + 1 + 2 + P2 + L2	A + B + 1 + 2 + 3 + P2 + L2
RP	Ø4,1	A + B + 1 + 2 + 3	A + B + 1 + 2 + 3 + P3 + L3	A + B + 1 + 2 + 3 + 4 + P3 + L3
RP	Ø4,7	A + B + 1 + 2 + 3 + 4	A + B + 1 + 2 + 3 + 4 + P4 + L4	A + B + 1 + 2 + 3 + 4 + 5 + P4 + L4
RP	Ø5,2	A + B + 1 + 2 + 3 + 4 + 5	A + B + 1 + 2 + 3 + 4 + 5 + P5 + L5	A + B + 1 + 2 + 3 + 4 + 5 + P5 + L5
WP	Ø5,3	A + B + 1 + 2 + 3 + 4 + 5	A + B + 1 + 2 + 3 + 4 + 5 + P5 + L5	A + B + 1 + 2 + 3 + 4 + 5 + P5 + L5











RAPID SURGERY PROTOCOL

A LANCE DRILL - MARKER DRILL
B PILOT DRILLS Ø2.0 (DRILL STOPER: 6-8-10-11,5-13-16)
1-6 IMPLANT DRILLS
P PROFILE DRILLS
R RAPID BONE TAPS
L LEVEL BONE TAPS



RAPID SURGERY PROTOCOL

		SOFT BONE	COMPACT BONE
NP	Ø3,3	A + B + 1	A + B + 1 + R1
NP	Ø3,7	A + B + 1 + 2	A + B + 1 + 2 + R2
RP	Ø4,1	A + B + 1 + 2 + 3	A + B + 1 + 2 + 3 + R3
RP	Ø4,7	A + B + 1 + 2 + 3 + 4	A + B + 1 + 2 + 3 + 4 + R4
RP	Ø5,2	A + B + 1 + 2 + 3 + 4 + 5	A + B + 1 + 2 + 3 + 4 + 5 + R5
WP	Ø5,3	A + B + 1 + 2 + 3 + 4 + 5	A + B + 1 + 2 + 3 + 4 + 5 + R5











MODE IMPLANT ACADEMY

SCIENCE JOINS TOGETHER WITH QUALITY SYNERGY

MIA Mode Implant Academy provides comprehensive, quality education in implant dentistry, support and facilitate cutting edge research in this innovation field.

- SCIENTIFIC EVENTS
- IMPLANTOLOGY TRAININGS
- CONGRESS AND SEMINARS
- CASE STUDIES
- SCIENTIFIC PRESENTATIONS

MIA GLOBAL ORGANIZATION

ADVOCATES SCIENCE, EDUCATION AND HUMANITY IN ORAL REHABILITATION

Our academy ensures the highest possible standards of continuing education within the field of implant dentistry and provides a broader public with access to MIA treatment philosophies and guidelines.

Our ultimate goal is to empower more clinicians to embrace superior quality treatments, from routine to challenging, to enhance oral rehabilitation for patients across the globe.

www.miacademy.net

SCIENTIFIC STUDIES



Application of chemical mechanical polishing process on titanium based implants

Materials Science and Engineering C 68 (2016) 383–396

Measurement of temperature change during the implant site preparation to determine influence of tool characteristics

Measurement (2016)

Biomedical Applications of Chemical Mechanical Polishing on Dental and Prosthetic Implants

2013 MRS EuroNanoForum, June 18-20, Dublin, Ireland

EuroNanoForum 2013

INTERNATIONAL AWARDS

"THE MANUFACTURER OF THE YEAR" AWARD FROM USA

International Health Organization by IVF Media America in 3 main and 8 sub-categories on behalf of the world-wide research found 8 award winners.

Mode Implant crowned its' success by this International Award in its' 10th years. We are proud of making a difference with our technological superiority among other global brands.

GOLD MEDAL RESEARCH AND INNOVATION AWARD GENEVA SWITZERLAND

GOLD MEDAL AWARD, 45th International Exhibition of Inventions of Geneva, Geneva, Switzerland, IP: 2013/15577

SILVER MEDAL AWARD, ISIFvention17, 2nd Istanbul International Invention Fair, Istanbul, Turkey IP: 2013/15577

JURY SPECIAL AWARD, Prize of the Ministry of Research and Innovation of Geneva, Geneva, Switzerland

MODE IMPLANT



MODE MEDİKAL®

MODE IMPLANT | MIA MODE IMPLANT ACADEMY

MODE MEDİKAL®

Abdi Ipekci Cad. No:58 Bayrampasa 34030
ISTANBUL / TURKEY

+90 (212) 612 64 09 · 612 39 68

+90 (212) 565 09 50

+90 (530) 555 88 66

info@modeimplant.com

Mode Implant Worldwide

- GERMANY
- SAUDI ARABIA
- ALBANIA
- UAE
- ALGERIA
- ETHIOPIA
- MOROCCO
- PALESTINE
- NETHERLANDS
- ENGLAND
- KOSOVO
- KUWAIT
- LIBYA
- MACEDONIA
- MALDIVES
- EGYPT
- PAKISTAN
- POLAND
- ROMANIA
- SLOVAKIA
- SRILANKA
- UKRAINE
- JORDAN
- YEMEN
- IRAK
- IRAN

modeimplant.com

CE 2292 · ISO 13485 · ISO 9001:2008 CERTIFIED · Turkey Discover the potential